

Construction Techniques Comparison

	(1) note	(2)	(3)	Example
1	high quality material	continuous structure	non arch	General technique for pillar, beam, crossbeam, floor,
2	high quality material	continuous structure	arch	General technique for RC arch
3	high quality material	discrete structure	non arch	General technique for heaping stones and blocks
4	high quality material	discrete structure	arch	Traditional stone arch is not recognized as general technique in terms of economy. Economy and endurance will be pursued by the technique according to the present invention
5	low quality material	continuous structure	non arch	Unstable (not usable)
6	low quality material	continuous structure	arch	Used for the ceiling of a kiln for traditional charcoal making. Not recognized as a modern technique. Rational design and practice can be realized by the technique according to the present invention
7	low quality material	discrete structure	non arch	general technique for soil fort and mound
8	low quality material	discrete structure	arch	new technique

Fig. 1




Fig. 2




Fig. 3




Fig. 4





Fig. 5

Design condition

Bridge Type	Road bridge (A live load)	
Bridge length	11,500m	
Bridge width	12,000m (useful width 11,000m)	
Style of upper part	constraint discrete material arch structure (stone arch)	
Design model	Individual elements analysis (normally, at live load, on earthquake in the bridge axis direction) and 3-D shell model (on earthquake in the direction orthogonal to the bridge axis direction)	
Style of lower part and foundation	Pit foundation (oblique pit 35°)	
Shake	Dynamic analysis	
Material used	Arch	See the separate table.
	Prestress	To give the ability to restore separated meeting ends on abnormal load.
	Pavement	paving (curved stone paving)
	Pit	Pit φ 400

Fig. 6



Construction job flowchart

Fig. 7




Fig. 8




Fig. 9